

**COMPLETE LIST OF FUNGI GATHERED
DURING THE FORAY.**

- Amanita phalloides* Fr., *mappa* (Batsch) Fr., *muscaria* (Linn) Fr., *pantherina* (DC.) Fr., *rubescens* Pers., *spissa* Fr.
Amanitopsis vaginata (Bull.) Roze, *strangulata* (Fr.) Mass.
Lepiota procera (Scop.) Fr., *rachodes* (Vitt.) Fr., *gracilentata* (Kromb.) Fr., *cristata* (A. & S.) Fr., *amianthina* (Scop.) Fr.
Armillaria mellea (Vahl.) Fr., *mucida* (Schrad.) Fr.
Tricholoma resplendens Fr., *flavo-brunneum* Fr., *albobrunneum* (Pers.), *rutilans* (Schaeff.), *columbetta* Fr., *terreum* (Schaeff.), *saponaceum* Fr., *sulphureum* (Bull.), *carneum* (Bull.), *personatum* Fr., *nudum* (Bull.), *panaeolum* Fr., *grammopodium* (Bull.).
Clitocybe nebularis (Batsch), *hirneola* Fr., *odora* (Bull.), *rivulosa* Pers., *cerussata* Fr., *phyllophila* Fr., *pergamena* Cke., *infundibuliformis* (Schaeff.), *inversa* (Scop.), *flaccida* (Sow.), *cyathiformis* Fr., *metachroa* Fr., *ditopa* Fr., *fragrans* (Sow.).
Laccaria laccata (Scop.), Berk, var. *amethystina* Bolt. var. *tortilis* Bolt.
Collybia radicata (Rehl.), *fusipes* (Bull.), *maculata* (A. & S.), *butyracea* (Bull.), *velutipes* (Curt.), *conigena* (Pers.), *tuberosa* (Bull.), *acervata* Fr., *dryophila* (Bull.) *extuberans* (Batt.) Fr., *atrata* Fr.
Mycena pura Pers., *luteo-alba* (Bolton), *lactea* Pers., *rugosa* Fr., *galericulata* (Scop.), var. *calopa* Fr., *polygramma* (Bull.), *alcalina* Fr., *metata* Fr., *sanguinolenta* (A. & S.), *galopa* Fr., *leucogala* Cke., *epipterygia* (Scop.), *clavicularis* Fr., *pelliculosa* Fr., *vulgaris* Pers., *tenerrima* (Berk.), *capillaris* (Schum.).
Omphalia rustica Fr., *fibula* (Bull.), var. *Swartzii* Fr.
Pleurotus septicus Fr.
Pluteus cervinus (Schaeff.).
Entoloma lividum Fr., *sinuatum* Fr., *porphyrophaeum* Fr., *juba-tum* Fr., *sericellum* Fr., *rhodopolium* Fr., *sericeum* (Bull.), *nidorosum* Fr.
Clitopilus prunulus (Scop.).
Leptonia lampropa Fr., *solstitialis* Fr.
Nolanea pascua (Pers.), *pisciodora* (Ces.).
Claudopus variabilis (Pers.).

- Pholiota terrigena* Fr., *erebia* Fr., *togularis* (Bull.), *radicosa* (Bull.), *spectabilis* Fr., *mutabilis* (Schaeff.), *marginata* (Batsch).
Inocybe pyriodora (Pers.), *maritima* Fr., *rimosa* (Bull.), *asterospora* Quél., *eutheles* (B. & Br.), *geophylla* (Sow.), *petiginosa* (Fr.) Quél.
Hebeloma fastibile Fr., *versipelle* Fr., *mesophaeum* Fr., *crustuliniforme* (Bull.), *nauseosum* Cke.
Flammula carbonaria Fr., *flavida* (Schaeff.), *inopa* Fr., *sapinea* Fr.
Naucoria escharoides Fr.
Galera tenera (Schaeff.), *spartea* Fr., *hypnorum* (Batsch).
Tubaria furfuracea (Pers.), *crochata* Fr.
Crepidotus mollis (Schaeff.).
Agaricus arvensis Schaeff. *xanthodermus* Gen., *campestris* Linn., *comtus* Fr.
Stropharia aeruginosa (Curt.), *inuncta* Fr., *stercoraria* Fr., *semiglobata* (Batsch), *squamosa* Fr.
Hypholoma sublateritium (Schaeff.), *epixanthum* Fr., *fasciculare* (Huds.), *dispersum* Fr., *lacrymabundum* Fr., *velutinum* Pers., *appendiculatum* (Bull.), *hydrophilum* (Bull.).
Psilocybe subericaea Fr., *uda* (Pers.), *semilanceata* Fr., *foenicosecii* (Pers.).
Psathyra corrugis (Pers.), *fibrillosa* (Pers.).
Anellaria separata (Linn.).
Panaeolus sphinctrinus Fr., *campanulatus* (Linn.), *papilionaceus* (Bull.).
Psathyrella gracilis Fr., *disseminata* (Pers.), *atomata* Fr.
Coprinus comatus Fr., *atramentarius* Fr., *niveus* Fr., *micaceus* (Bull.), *lagopus* Fr., *domesticus* Pers., *plicatilis* (Curt.).
Bolbitius fragilis Fr.
Cortinarius (*Phlegmacium*) *triumphans* Fr., *largus* Fr., *multiformis* Fr., *purpurascens* Fr., *crystallinus* Fr.
(*Myxaciium*) *collinitus* Fr., var. *mucosus* Fr., *elatior* Fr.
(*Inoloma*) *violaceus* (Linn.), *albo-violaceus* (Pers.), *bolaris* (Pers.), *pholideus* Fr.
(*Dermocybe*) *tabularis* Fr., *caninus* Fr., *anomalus* Fr., *lepidopus* Cke., *sanguineus* Fr., *cinnamomeus* Fr., var. *semisanguineus* Fr., *orellanus* Fr.
(*Telamonia*) *torvus* Fr., *armillatus* Fr., *hinnuleus* Fr., *brunneus* (Pers.), *hemitrichus* Fr., *paleaceus* Fr.
(*Hydrocybe*) *subferrugineus* Fr., *duracinus* Fr., *castaneus* (Bull.), *dolabratus* Fr., *rigens* (Pers.), *decipiens* (Pers.), *acutus* (Pers.).

- Gomphidius glutinosus* (Schaeff.), *roseus* Fr., *viscidus* (Linn.),
gracilis Berk.
Paxillus involutus (Batsch), *panuoides* Fr.
Hygrophorus cossus (Sow.), *pratensis* (Pers.), *virginus* (Wulf.),
niveus (Scop.), *foetens* Phill., *laetus* Fr., *coccineus*
(Schaeff.), *miniatus* Fr., *turundus* Fr., *puniceus* Fr.,
conicus (Scop.), *chlorophanus* Fr., *psittacinus*
(Schaeff.), *unguinus* Fr.
Lactarius torminosus (Schaeff.), *turpis* (Weinm.), *pubescens* Fr.,
insulsus Fr., *blennius* Fr., *pyrogalus* (Bull.), *chry-*
sorrhoeus Fr., *piperatus* (Scop.), *vellereus* Fr., *deliciosus*
(Linn), *quietus* Fr., *theiogalus* (Bull.), *vietus* Fr., *rufus*
Scop., *glyciosmus* Fr., *serifluus* (DC.), *mitissimus* Fr.,
subdulcis (Bull.).
Russula nigricans (Bull.) Fr., *adusta* Pers., *densifolia* Secr.,
chloroides (Krombh) Bres., *furcata* Pers., *drimeia* Cke.,
lactea Fr., var. *incarnata* Quéél., *virescens* (Schaeff.),
lepida Fr., *xerampelina* Fr., *vesca* Fr., *cyanoxantha*
(Schaeff.), *heterophylla* Fr., *foetens* Pers., *fellea* Fr.,
emetica Fr., *ochroleuca* Fr., *fragilis* Pers., var. *violacea*
Quéél.
Cantharellus cibarius Fr., *aurantiacus* Fr., *tubaeformis* Fr., *in-*
fundibuliformis Fr.
Nyctalis asterophora Fr., *parasitica* (Bull.).
Marasmius peronatus (Bolt.), *oreades* (Bolt.), *erythropus* Fr.,
ramealis (Bull.), *rotula* (Scop.), *androsaceus* (Linn.),
epiphyllus Fr.
Lentinus cochleatus Fr.
Panus stipticus (Bull.).
Lenzites betulina (Linn.).
Boletus luteus Linn., *elegans* (Schum.), *flavus* With., *chrysen-*
teron Fr., *subtomentosus* Linn., *radicans* Pers.,
pruinatus Fr., *variegatus* Swartz., *badius* Linn., *piper-*
atus Bull., *bovinus* Linn., *granulatus* Linn., *edulis* Bull.,
luridus Schaeff., *laricinus* Berk., *scaber* Fr., *versipellis*
Fr., *castaneus* Pers.
Fistulina hepatica Fr.
Polyporus Schweinitzii Fr., *rufescens* Fr., *squamosus* (Huds.)
Fr., *intybaceus* Fr., *sulphureus* Fr., *betulinus* (Bull.)
Fr., *adustus* Fr., *amorphus* Fr., *lacteus* Fr., *fragilis* Fr.
Polystictus versicolor (Huds.), *radiatus* (Sow.), *abietinus* Fr.
Fomes igniarius (Huds.), *annosus* Fr., *ferruginosus* (Fr.) Mass.
Poria vaporaria Fr.
Daedalea quercina (Linn.).
Merulius lacrymans Fr.
Hydnum imbricatum Linn., *repandum* Linn., *zonatum* Batsch.,
nigrum Fr., *auriscalpium* Linn., *niveum* Pers., *fari-*
naceum Pers.

- Irpex obliquus (Schrad.)
 Phlebia merismoides Fr., radiata Fr.
 Grandinia granulosa Fr.
 Craterellus cornucopioides Pers., crispus Fr.
 Stereum hirsutum Fr., purpureum Pers., rugosum Fr., spadiceum Fr.
 Corticium calceum Fr., laeve Pers., nudum Fr., comedens Fr.
 Hymenochaete rubiginosa Lév.
 Peniophora quercina (Fr.) Cke., incarnata (Fr.) Cke.
 Thelephora anthocephala Fr., laciniata Pers.
 Coniophora puteana (Fr.) Mass.
 Soppittiella sebacea (Berk.) Mass.
 Sparassis crispa (Wulf.) Fr., laminosa Fr.
 Clavaria muscoides Linn., cinerea Bull., cristata Holmsk., rugosa Bull., formosa Pers., abietina Schum., fusiformis Sow., dissipabilis Britz., inaequalis Fl. Dan., argillacea Pers., vermicularis Scop., fragilis Holmsk., tenuipes B. & Br.
 Typhula erythropus Fr.
 Pistillaria quisquiliaris Fr.
 Auricularia mesenterica Fr.
 Exidia albida (Huds.) Bref.
 Ulocolla foliacea (Pers.) Bref.
 Tremella mesenterica Retz., intumescens Eng. Bot.
 Dacryomyces deliquescens Duby.
 Calocera viscosa Fr., stricta Fr.
 Cyathus striatus Hoffm.
 Crucibulum vulgare Tul.
 Sphaerobolus stellatus Tode.
 Lycoperdon excipuliforme Scop., gemmatum Batsch., pyriforme Schaeff., perlatum Pers., umbrinum Pers., depressum Bon., bovista Linn.
 Bovista plumbea Pers.
 Scleroderma vulgare Fr., verrucosum Pers.
 Rhizopogon luteolus Tul.
 Ithyphallus impudicus (Linn.)
 Mutinus caninus (Huds.) Fisch.
 Puccinia poarum Niel.
 Phragmidium rubi (Pers.)
 Uredo mulleri Schröt, *Woolmer*.
 Sphacelotheca hydropiperis (Schum.)
 Claviceps microcephala (Wallr.), Wint.
 Cordyceps militaris (Linn.), ophioglossoides (Ehr.), capitata (Holmsk.)
 Hypocrea rufa (Pers.)
 Nectria cinnabarina (Tode) Fr.
 Hypomyces rosellus (A. & S.) Tul. *Woolmer*, torminosus (Mont.) Tul.

- Xylaria hypoxylon* (Linn.)
Ustulina vulgaris Tul.
Daldinia concentrica (Bolt.)
Hypoxylon coccineum Bull., *fuscum* (Pers.) Fr.
Rhytisma acerinum (Pers.)
Rhopoglyphus Pteridis (Sow.) Wint.
Diatrype stigma Fr.
Chaetomium elatum Kunze. *Invalid.*
Melanomma pulvis-pyrius (Pers.) Fckl.
Podospora minuta Wint. *Woolmer.*
Sporormia minima Auersw. *Woolmer.*
Leptosphaeria doliolum Ces & De Not.
Elaphomyces granulatus Vitt., *variegatus* Fr.
Hypoderma virgultorum D.C., *Desmazieri* Duby. *Woolmer.*
 New to Britain.
Dichaena quercina (Pers.) Fr.
Helvella lacunosa Afz.
Geoglossum glabrum Pers.
Leotia lubrica Pers., *acicularis* Pers.
Peziza vesiculosa Bull., *badia* Pers., *succosa* Berk.
Otidea leporina (Batsch) Fckl., *aurantia* (Pers.) Mass. *luteo-*
 nitens (B. & Br.) Mass.
Plicariella trachycarpa Rehm. (= *Curreyella trachycarpa* Mass.*)
Humaria humosa (Fr.) Sacc., *granulata* (Bull.) Sacc.
Lachnea hemispherica Gillet.
Dasyscypha virginea (Batsch.) Fckl., *ciliaris* (Schrad.) Sacc.
 Woolmer., *calycina* (Schum.) Fckl.
Tapesia aurelia Phil.
Chlorosplenium aeruginosum De Not.
Ciboria ochroleuca (Bolt.) Mass., *echinophila* (Bull.) Sacc.
Helotium citrinum Fr., *virgultorum* (Vahl) Karst., var. *fructi-*
 genum (Bull.) Rehm., *cyathoideum* (Bull.) Karst.
 Invalid., *fagineum* (Pers.) Fr.
Mollisia cinerea (Batsch) Karst.
Ascophanus carneus Boud. var. *testaceus* Mass.
Ascobolus aerugineus Fr., *furfuraceus* Pers., *immersus* Pers.
Saccobolus neglectus Boud.
Coryne sarcoides Tul.
Bulgaria polymorpha (Æder) Wetts.
Cenangium abietis (Pers.) Rehm. *Woolmer.*
Scleroderris livida (B. & Br.) Mass.
Spinellus fusiger (Cke.) Van Teigh.
Sporodinia grandis Link.
Syzygites megalocarpus Ehrb.
Sphaeropsis pinastri (Lév.) Sacc.

**Curreyella* is a *Pyrenomycete* A.L.S.

Sphaeronemella fimicola March. *Woolmer*.
 Dinemasporium graminum Lév.
 Penicillium glaucum Link.
 Rhinotrichum Thwaitesii B. & Br.
 Botrytis cinerea Pers.
 Trichothecium roseum Link.
 Tubercularia vulgaris Tode.
 Fusarium roseum Link.
 Ptychogaster albus Cda.

*Mycetozoa.**

Physarum nutans Pers.
 virescens Ditmar and var. nitens Lister, developed from
 plasmodium. This is *the first British specimen* we
 have recorded of *the var. nitens*, all our other speci-
 mens are from N. America, except one from Bohemia.
 Fuligo septica Gmel., ochracea Peck., developed from plas-
 modium. This is *the third British record*.
 Craterium pedunculatum Trent., leucocephalum Ditmar.
 Leocarpus vernicosus Link.
 Chondrioderma Michellii Rost.
 Didymium effusum Link., nigripes Fr., Clavus Rost., on straw
 Marley Heights, farinaceum Schrad.
 Spumaria alba DC.
 Stemonitis fusca Roth., ferruginea Ehr.
 Comatricha obtusata Pers., typhoides Rost.
 Amaurochaete atra Rost.
 Cribraria aurantiaca Schrad., argillacea Pers.
 Licea flexuosa Pers.
 Enteridium olivaceum Ehr., var. licioides Lister.
 Tubulina fragiformis Pers.
 Trichia fallax Pers., persimilis Karst.
 Arcyria albida Pers., punicea Pers., incarnata Pers.
 Lycogala miniatum Pers.

* This list with accompanying notes was kindly furnished by Miss Gulielma Lister, F.L.S., and Mr. Arthur Lister, F.R.S.